

KOALA

L I V I N G

Assembly Instruction


Product Name: Fiago Chandelier

Product Id: 131830


Hardware List



Pull Clasp — 1 pc




Terminal Block — 1 pc



Screws — M4*45mm*4 sets




E14 Bulb-10pcs
(Not Included)



Parts List

(A)



Lamp Body — ϕ 800*H420mm *1 pc
matte brass

(B)



Canopy — ϕ 150*H30mm*1pc
matte brass


(C)



Mounting Plate — 1 Set
Mounting Plate — 135mm *1 silver
Knurled Screws — 10*10 *2pcs
matte brass


(F)

(G)



K/D tube 200mm *2pcs
K/D tube 400mm *2pcs
matte brass

(I)




Clear glass 130*70*140 pcs

Note


1. Turn off the main power supply before starting the installation.
2. For safety, it is recommended that two people assist during installation.
3. Carefully read all instructions and check that all parts are included before beginning installation.
4. Ensure all wire connections are secure and properly insulated.
5. Handle electrical wires and tools carefully to avoid damage or injury.
6. Do not restore power until the fixture is fully installed and securely mounted.

1



1. Take all parts out of the box and place them on the carpet or floor.
2. Install the expansion tubes into the ceiling.
3. Attach the mounting plate to the expansion tubes using screws.
4. Attach tube F/G to the lamp body A. Install other tubes the same way.
5. Connect wires to the terminal block (ensure power is OFF).

2



7. Lift the canopy B, cover the mounting plate C, and tighten the knurled screws.
8. Install the light bulbs (not included).
9. Attach Glass I to the lamp body A.

220-240V a.c, 50Hz 10*E14; Max.40W

If the external flexible cable or cord this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.

